#### **SAFETY DATA SHEET** SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION DATE PREPARED: PRODUCT NAME: Sculpting Gel White January 1, 2009 SUPPERSEDES: GENERAL LISE: Fingernail overlay resin May 1, 2008 PRODUCT DESCRIPTION: polyurethane acrylate prepolymer resin blend TELEPHONE NUMBER: +30 210 8656070 EMERGENCY TELEPHONE NUM +30 6936 040550 PRODUCER'S NAME **UNIQUE NAILS - ANGELINA IOSIFIDOU** TELEPHONE NUMBER: 15, AGATHOUPOLEOS St +30 210 8656070 (CITY, STATE AND POSTAL CODE) COUNTRY **EMERGENCY TELEPHONE NUMBER: GREECE** ATHENS, 112 52 +30 6936 040550 SECTION 2 - HAZARDOUS INGREDIENTS COMPONENTS CAS# EINECS # RISK PHRASES (Full Hazard weight) Text Section 16) Symbol 52-70 N/A N/A R-36/38 Polyurthane acrylate prepolymer resin R-36/38 Χi Polyurethane methacrylate prepolymer resin 25-35 N/A N/A Tripropyleneglycol diacrylate 0-5 42978-66-5 256-032-2 Χi R-36/38 1-hydroxycyclohexylphenylketone 1-2 947-19-3 213-426-9 none none Benzophenone 1-2 119-61-9 204-337-6 none none Silica 1-3 11294552-5 231-545-4 none none CI77891 (TiO2) 13463-67-7 236-675-5 none c) Indicates an employee's skin exposure shall be prevented or reduced to the extent necessary in the circumstances through the use of gloves or other appropriate SECTION 3 - HAZARDS IDENTIFICATION **EMERGENCY OVERVIEW** Clear or pigmented liquid. Will support combustion. May cause complictions if swallowed. Known allergen upon over exposure in some cases. Avoid skin contact. Inhillation of mist or liquid can cause respiratory irritation. Hazard symbols for the product - see section XV below Risk Phrases - see section XV below POTENTIAL HEALTH EFFECTS INHALATION: No significant adverse health effects are expected to occur upon short-term eposure. Prolonged exposure to mists may cause an allergic reaction. Mists are defined as liquids that are in vaporous form. This would not be how the material is desigend to be used or applied. SKIN: No allergic reaction is expected to occur upon short term exposure. Idividuals who are know to have allergies to acrylics, acrylic acids, carboxylic acids, epoxy resins or other UV cured products should avoid skin contact. EYES: No adverse effects are known for this product upon short-term exposure to the eyes. It is best to avoid contact with the eye region and surrounding skin. INGESTION: Non-toxic material. May cause gastric distress, but this is highly unlikely. Do not induce vomiting if ingested. If vomiting occurs, avoid aspriration of vomitus into the lungs. CARCINOGENICITY: NTP? NO IARCH MONOGRAPHS? NO OSHA REGULATED? NO Known to not be a carcinogen. SECTION 4 - FIRST AID MEASURES INHALATION: In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and

seek medical attention. There has never been any incidence of any inhalation incidnce known to the manufacturer.

SKIN: Remove contaminated clothing and wash contact area with soap and water for 15 minutes. Particular attention should be paid to hair, nose, ears and other areas not easily cleaned. See section 8. Note to physician: effects can be delayed 24-48 hours.

EYES: Flush with plenty of water for at least 15 minutes and seek medical attention.

INGESTION: If appreciable quantities are swallowed, seek medical attention.

# SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product will support combustion. Products of combustion will include compounds of carbon, nitrogen and oxygen including carbon monoxide.

EXTINGUISHING MEDIA: Carbon dioxide, water fog, dry chemical and chemical foam.

FIRE FIGHTING PROCEDURES: Firefighters must wear a full-face self-contained breathing apparatus in possitive pressure mode. Do not use solid stream of water since stream will cause fire to scatter and spread fire. Fine water spray can be used to keep fire-exposed containers cool.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers can explode due to build-up of presure due to extreme heat.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes, oxides of carbon, nitrogen containing compounds.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WILL SUPPORT COMBUSTION. Do not wash to sanitary sewer. All spills can be polymerized into a plastic with the use of UV light source: sunlight, UV light lamp. If no light source is readily available, use a trowel or shovel to gather the material into a container, transport to a UV light source and polymerize. Polymerized material can be disposed of in accordance with local, state and ferderal regulations.

### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use. Protect containers from abuse. Do not expose containers to UV light (including sunlight), peroxides or other free-radical reaction initiators. Do not expose material to temperatures in excess of 60 °C. Do not expose to open flame. This material will support combustion. Keep this material and all chemicals out of the reach of children. Avoid prolinged contact with skin, mucous membranes, eyes, open wounds,

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS:	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Polyurethane acrylate prepolymer	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
tripropyleneglycol diacrylate	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
1-hydroxycylohexylphenylketone	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
benzophenone	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

### PERSONAL PROTECTION:

REPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, HIOSH approved respirator must be worn. Refer to 28 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Nitrile, neoprene, or latex. For large quantities, long neoprene glove are required with cuffs.

EYE PROTECTION: Safety glasses or splash goggles. For large exposure situations, a full-face splash shield is required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station.

WORK / HYGENIC PRACTICES: Always practive safe workplace habits. Minimize body contact with this as well as all chemicals in general.

SEC	<u> </u>	<i>PHYSI</i> 0	CAL AND	CHEMICAL PROPERTIES				
APPEARANCE AND ODOR			VAPOR PRESSURE					
Clear or pigmented liquid			not applicable					
pН			SPECIFIC GRAVITY (WATER = 1)					
not applicable			1.1					
BOILING POINT / BOILING RANG	E		SOLUBILITY IN WATER					
not applicable			not soluble					
FLASH POINT			VISCOSITY					
>212 F / 100 C			30,000 cps					
FLAMMABLE LIMITS				VAPOR DENSITY (AIR = 1)				
not applicable				<1				
AUTOIGNITION TEMPERATURE				EVAPORATION RATE (WATER = 1)				
not applicable				not applicable				
SECTION 10 - STABILITY AND REACTIVITY								
STABILILTY	STABLE UNSTABLE X			CONDITIONS TO AVOID: Temperatures over 60 °C, open flame, UV light (including sunlight)				
INCOMPATABILITY (MATERIALS TO AVOID): Strong oxidizers, peroxides, UV light sources, sunlight, temperatures over 60 °C and loss of inhibitor.								
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon, oxides of nitrol hydrocarbons, fumes and smoke may be produced.  HAZARDOUS POLYMERIZATION MAY OCCUR WILL NOT OCCUR CONDITIONS TO AVOID: Temperatures over 60 oC, open flame, UV light								
	×			(including sunlight)				
SECTION 11 - TOXICOLOGICAL INFORMATION								
SENSITIZATION:	May cause sensitization by skin contact							
INHALATION:	Irritating to respiratory system							
SKIN:	Irritating to	Irritating to skin						
EYES:	Irritating to eyes							
	SECTION 12 - ECOLOGICAL INFORMATION							

Harmfull to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Use according to the rules of good practice. Do not dispose of in the environment.

# SECTION 13 - DISPOSAL CONSIDERATIONS

Product: Chemicals must be disposed of in compliance with federal, state and local regulations. Container: Container must be disposed of in accordance with federal, state and local regulations. All liquid material should be exposed to UV light or any other free-radical reaction initiator

### SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Polyurehtane prepolymer resin IATA CLASS / Packing Group: Not Regulated

DOT HAZARD CLASS / Packing Group: Not Regulated IMDG HAZARD CLASS: Not Regulated

REFERENCE: Not Applicable RID / ADR Dangerous Gods Code: Not Regulated UN/NA ID NUMBER: None UN TDG Class/ Pack Group: Not Regulated

LABEL: None Hazard Identification Number (HIN): Not Regulated

HAZARD SYMBOLS: None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EU, United Nations TDG and WHIMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

# SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

SARA TITLE III (USA - Superfund Amedments and Reauthorization Act)

311 / 312 Hazard Catagories: None 313 Reporatable Ingredients: None

CERCLA (USA - Comprehensive Response and Liability Act): None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There is nothing known to the State of California to cause cancer or reproductive toxicity.

CFR (Canadian Cntrolled Products Regulations):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS conains information required by the Controlled Products Regulations. WHIMIS Classification: None

IDL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are othersise in comliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Index: 1 VbK Index: AIII

RISK PHRASES:

R-36/38 Iriitating to eyes and skin

IRRITANT

S-24/25 Avoid contact with skin and eyes.

S-26 In case of contact with eyes, rinse immediately

S-41 In case of fire and/or explosion, donot breath fumes

EU DIRECTIVES: DIRECTIVE 91/155/EEC amended by Drirective 93/112/EEC and Directive 2001/58/EC: Safety Data Sheets

 $Dangerous \ preparations: \ Directive \ 1999/45/EC \ amended \ by \ Directive \ 2001/60/EC \ - \ OJEC \ L226 \ - \ 22/08/2001 \ and \ Dangerous \ Preparations: \ Directive \ Preparations \ Directive \ Preparation \ Preparat$ 

Directive 2006/08/EC - 24/01/2006.

Commission Directive 2004/73/EC of 29 Apil 2004 adapting to technical progress for the 29th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances (Official Journal L216 - 16/06/2004).

# SECTION 16 - OTHER INFORMATION

EXPLANATIONS TO R-PHRASES IN SECTION 2:

R-36/38 Irritating to eyes and skin.
R-24 Toxic in contact with skin.

R-43 May cuase sensitization by skin contact.