PRODUCT NAME: Bonder

January 2010

| | SA | FETY DA | TA S | <u>HEET</u> | | | | |
|--|--|------------------------------|---------------------------------|-----------------------------|---------------------------------------|--------------------------------------|--|--|
| SECTI | ION 1 - PI | RODUCT AND C | COMPAN | Y IDENT | IFICATIO | DN | | |
| PRODUCT NAME: | UV Bonding | #1 | | DATE PREPARE | ED: | January 1, 2010 | | |
| GENERAL USE: | Fingernail ov | | | SUPPERSEDES | | May 1, 2008 | | |
| PRODUCT DESCRIPTION: | | e acrylate prepolymer | resin blend | TELEPHONE N | +30 210 8656070 | | | |
| | EMERGENCY TELEPHONE NUM B +30 6936 040550 | | | | | | | |
| PRODUCER'S NAME | | | | | | | | |
| UNIQUE NAILS - ANGELIN | A IOSIFIDOU | | | | | | | |
| ADDRESS | | | | TELEPHONE NU | | | | |
| 15, Agathoupoleos St. | | | | +30 210 8656070 | | | | |
| (CITY, STATE AND POSTAL CODE) 112 52, ATHENS | | COUNTRY GREECE | | EMERGENCY TELEPHONE NUMBER: | | | | |
| 112 JZ, ATTILNS | | +30 6936 040550 | | | | | | |
| | SECTIO | N 2 - HAZARD | OUS IN | GREDIEN | TS | | | |
| COMPONENTS | % (by weight) | CAS# | EIN | ECS # | Hazard | RISK PHRASES (Full | | |
| Acetone | 60-86 | 67-64-1 | 200 |)-662-2 | Symbol Xi, F | Text Section 16) R-36/38, R-11, R-67 | | |
| Di-HEMA Trimethylhexyl Dicarbamate | 52-70 | 72869-86-4 | | 5-957-5 | Xi | R-36/38 | | |
| Isopropylidenediphenyl | 5-10 | 1565-94-2 | | 5-637-7 | Xi | R-36/38 | | |
| Bisoxyhydroxypropyl Methacrylate | 3 10 | 1303 31 2 | 210 | , 03, , | Al | 10 30/30 | | |
| 1-hydroxycyclohexylphenylketone | 1-5 | 947-19-3 | 213 | 213-426-9 | | none | | |
| Benzophenone | 1-5 | 119-61-9 | 204 | 204-337-6 | | none | | |
| b) Known to not be on the list of Calification (c) Indicates an employee's skin exposition (c) Indicates an employee's skin exposition (c) Indicates an employee's skin exposition (c) Indicates an employee's skin exposi | course of doing hu ure shall be prever | einace muct warn others who | may consume necessary in the | e circumstances t | with or otherwise hrough the use o | he evenced to this chemical | | |
| | 020,10 | 7,7,12,1,12 | 0 10 2.77 | 27 207 172 | | | | |
| | | | | | | | | |
| EMERGENCY OVERVIEW Clear or pigmented liquid. Will suppor Inhillation of mist or liquid can cause r | | | | | xposure in some | cases. Avoid skin contact. | | |
| POTENTIAL HEALTH EFFECTS | | | | | | | | |
| INHALATION: No significant adverse health effects are expected to occur upon short-term eposure. Prolonged exposure to mists may cause an allergic reaction. Mists are defined as liquids that are in vaporous form. This would not be how the material is desigend to be used or applied. | | | | | | | | |
| SKIN: No allergic reaction is expected resins or other UV cured products show | | | vho are know to | o have allergies to | o acrylics, acrylic | acids, carboxylic acids, epoxy | | |
| FYFS: No adverse effects are known for | or this product upo | n short-term exposure to the | eves It is hes | to avoid contact | with the eve rea | ion and surrounding skin | | |
| | | | | | | | | |
| CARCINOGENICITY: | NTP? | NO IARCH MONOG | RAPHS? | NO | OSHA REGULA | TED? NO | | |
| Known to not be a carcinogen . | - | | | | • | | | |
| | SEC | TION 4 - FIRST | AID ME | ASURES | | | | |
| | | | | | | | | |

2

January 2010

INHALATION: In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention. There has never been any incidence of any inhalation incidence known to the manufacturer.

SKIN: Remove contaminated clothing and wash contact area with soap and water for 15 minutes. Particular attention should be paid to hair, nose, ears and other areas not easily cleaned. See section 8. Note to physician: effects can be delayed 24-48 hours.

EYES: Flush with plenty of water for at least 15 minutes and seek medical attention.

INGESTION: If appreciable quantities are swallowed, seek medical attention

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product will support combustion. Products of combustion will include compounds of carbon, nitrogen and oxygen including carbon monoxide.

EXTINGUISHING MEDIA: Carbon dioxide, water fog, dry chemical and chemical foam.

FIRE FIGHTING PROCEDURES: Firefighters must wear a full-face self-contained breathing apparatus in possitive pressure mode. Do not use solid stream of water since stream will cause fire to scatter and spread fire. Fine water spray can be used to keep fire-exposed containers cool.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers can explode due to build-up of presure due to extreme heat.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes, oxides of carbon, nitrogen containing compounds.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: WILL SUPPORT COMBUSTION. Do not wash to sanitary sewer. All spills can be polymerized into

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use. Protect containers from abuse. Do not expose containers to UV

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| HAZARDOUS COMPONENTS: | NIOSH | | | ACGIH | | | | |
|----------------------------------|---------|-----------|----------|------------|---------|-----------|----------|------------|
| | | | | | | | | |
| | TWA ppm | TWA mg/m3 | STEL ppm | STEL mg/m3 | TWA ppm | TWA mg/m3 | STEL ppm | STEL mg/m3 |
| Polyurethane acrylate prepolymer | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| tripropyleneglycol diacrylate | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| 1-hydroxycylohexylphenylketone | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| benzophenone | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| | | | | | | | | |

PERSONAL PROTECTION:

REPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, HIOSH approved respirator must be worn. Refer to 28 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Nitrile, neoprene, or latex. For large quantities, long neoprene glove are required with cuffs.

EYE PROTECTION: Safety glasses or splash goggles. For large exposure situations, a full-face splash shield is required.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station.

WORK / HYGENIC PRACTICES: Always practive safe workplace habits. Minimize body contact with this as well as all chemicals in general

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PRODUCT NAME: Bonder

January 2010

| r | | | | | | | | |
|---------------------------------|--|--------------------|------------------------------|---|--|--|--|--|
| | | | | | | | | |
| APPEARANCE AND ODOR | | | VAPOR PRESSURE | | | | | |
| Clear or pigmented liquid | | | not applicable | | | | | |
| рН | | | SPECIFIC GRAVITY (WATER = 1) | | | | | |
| not applicable | | | 1.1 | | | | | |
| BOILING POINT / BOILING RAN | GE | | SOLUBILITY IN WATER | | | | | |
| not applicable | | | not soluble | | | | | |
| FLASH POINT | | | VISCOSITY | | | | | |
| >212 F / 100 C | | | | 30,000 cps | | | | |
| FLAMMABLE LIMITS | | | | VAPOR DENSITY (AIR = 1) | | | | |
| not applicable | | | | <1 | | | | |
| AUTOIGNITION TEMPERATURE | | | | EVAPORATION RATE (WATER = 1) | | | | |
| not applicable | able | | | not applicable | | | | |
| | CECTIC | N/ 10 | CTADII | ITY AND REACTIVITY | | | | |
| | SECTIO | <i>//</i> | STADIL | IT AND REACTIVITY | | | | |
| | | STABLE | Lucation | | | | | |
| STABILILIY | STABILILTY | | UNSTABLE | CONDITIONS TO AVOID: Temperatures over 60 °C, open flame, UV light (including sunlight) | | | | |
| INCOMPATABILITY (MATERIALS TO | AVOID): Strong oxi | idizers, peroxi | des, UV light sou | urces, sunlight, temperatures over 60 °C and loss of inhibitor. | | | | |
| | | | | | | | | |
| | | omposition wil | l not occur if hai | ndled and stored properly. In case of fire, oxides of carbon, oxides of nitrogen, | | | | |
| hydrocarbons, fumes and smoke m | ay be produced. | | | | | | | |
| HAZARDOUS POLYMERIZATION | MAY OCCUR X | WILL NOT OCCUR | | CONDITIONS TO AVOID: Temperatures over 60 oC, open flame, UV light (including sunlight) | | | | |
| | SECTION | 1 1 1 - T | OXICOL | OGICAL INFORMATION | | | | |
| | 22011011 | | O, (100L) | 0010,12 1111 010 11 11 1011 | | | | |
| SENSITIZATION: | SENSITIZATION: May cause sensitization by skin contact | | | | | | | |
| INHALATION: | Irritating to respiratory system | | | | | | | |
| SKIN: | Irritating to | Irritating to skin | | | | | | |
| EYES: | Irritating to eyes | | | | | | | |
| | SECTIO |)N/ 12 - | FCOLO(| GICAL INFORMATION | | | | |
| | JLC11C | // 1Z - | LCOLO | DICAL IIVI OIVIALIOIV | | | | |

Harmfull to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Use according to the rules of good practice. Do not dispose of in the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Product: Chemicals must be disposed of in compliance with federal, state and local regulations. Container: Container must be disposed of in accordance with federal, state and local regulations. All liquid material should be exposed to UV light or any other free-radical reaction initiator

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Polyurethane prepolymer resin IATA CLASS / Packing Group: Not Regulated

DOT HAZARD CLASS / Packing Group: Not Regulated IMDG HAZARD CLASS: Not Regulated

REFERENCE: Not Applicable RID / ADR Dangerous Gods Code: Not Regulated

UN/NA ID NUMBER: None

UN TDG Class/ Pack Group: Not Regulated

LABEL: None Hazard Identification Number (HIN): Not Regulated

HAZARD SYMBOLS: None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EU, United Nations TDG and WHIMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

SARA TITLE III (USA - Superfund Amedments and Reauthorization Act)

311 / 312 Hazard Catagories: None 313 Reporatable Ingredients: None

CERCLA (USA - Comprehensive Response and Liability Act): None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There is nothing known to the State of California to cause cancer or reproductive toxicity.

CFR (Canadian Cntrolled Products Regulations):

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS conains information required by the Controlled Products Regulations. WHIMIS Classification: None

IDL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are othersise in comliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 upless otherwise indicated EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Index: 1 VbK Index: AIII

RISK PHRASES: SYMBOL(S) REQUIRED FOR LABEL SAFETY PHRASES: R-36/38 Iriitating to eyes and skin IRRITANT S-24/25 Avoid contact with skin and eyes. S-2 Keep out of the reach of children R-11 Highly lammable R-66 Repeated exposure may cause S-9 Keep in well ventilated area skin dryness or cracking S-26 In case of contact with eyesm FLAMMABLE S-26 In case of contact with eyes, rinse rinse immediately with plenty of immediately water and seek medical attention S-41 In case of fire and/or explosion, donot breath fumes

EU DIRECTIVES: DIRECTIVE 91/155/EEC amended by Drirective 93/112/EEC and Directive 2001/58/EC: Safety Data Sheets

Dangerous preparations: Directive 1999/45/EC amended by Directive 2001/60/EC - OJEC L226 - 22/08/2001 and Commission Directive 2004/73/EC of 29 Apil 2004 adapting to technical progress for the 29th time Council Directive

SECTION 16 - OTHER INFORMATION

EXPLANATIONS TO R-PHRASES IN SECTION 2:

R-36/38 Irritating to eyes and skin. R-24 Toxic in contact with skin.

R-43 May cuase sensitization by skin contact.